



Scan Here
To Find Out More

the perfect holiday home roof

parcpan

BRITMET
LIGHTWEIGHT ROOFING

sales@britmet.co.uk | 01295 250998 | www.britmet.co.uk

RAISING THE STANDARDS IN LIGHTWEIGHT ROOFING

Introduction to parcan



Parcan is a tile-effect roof sheet meticulously designed to parallel the charm of traditional pan tiles. Crafted from premium-grade Aluzinc steel and coated with a durable 35-micron wrinkle effect polyester coating, Parcan provides an attractive, lightweight, and cost-effective roofing solution. Perfectly suited for holiday homes, Parcan delivers both style and durability, making it an ideal choice for the industry.

Each Parcan sheet offers a cover width of 1100mm and is expertly crafted to replicate traditional roof tile aesthetics while remaining extremely lightweight. The system comes with a full range of accessories, including ridge caps, barge boards, and fixings. Once installed, Parcan provides a low-maintenance, cost-effective roofing solution, all backed by a 15-year warranty for added peace of mind.

Explore parcan's wide range of features and benefits:

- Weighing only 4.56kg per sqm, Parcan provides both durability and efficient installation without compromising strength or performance.
- Parcan opens up new possibilities in construction and design, allowing for roof pitches as low as 12°.
- Discover economic excellence with Parcan, offering exceptional value while maintaining durability and aesthetic appeal.
- Engineered for lasting performance, Parcan offers a robust roofing solution with a 0.46mm thickness gauge.
- Embrace sustainability with Britmet. Our roofing solutions are crafted with eco-friendly materials and manufacturing processes, ensuring a greener footprint for your project.
- Parcan seamlessly blends classic aesthetics and modern engineering, offering a timeless appearance and innovative solution for your roofing needs.
- Discover a seamless installation experience of Parcan, ensuring a hassle-free and efficient roofing solution for your next project.
- Experience unparalleled quality with Parcan, designed to deliver superior performance, durability, and aesthetic appeal.
- Our dedicated team is committed to providing comprehensive support and expert guidance every step of the way.
- Britmet roofing profiles offer unmatched versatility, adapting effortlessly to unique project requirements and architectural styles.

Technical Data:


- **Minimum roof pitch:** 12°
- **Maximum roof pitch:** 45°
- **Cover width:** 1100mm
- **Maximum sheet length:** 6030mm
- **Profile height:** 24mm
- **Material thickness:** 0.46mm
- **Head lap:** 350mm
- **Side lap:** One Corrugation
- **Weight (as laid per sqm):** 4.56kg
- **Weather coating:** 35 micron wrinkle effect polyester
- **Reverse coating:** 10 micron grey primer polyester
- **Fire resistance:** A1
- **Chemical resistance:** Unaffected by normal pollution





**Made to measure sheets available upon request*


Flashings and Accessories:


Size: 3m lengths	
Colour Range: Umbra Grey	

Barge Board	
Size: 3m lengths	
Colour Range: Umbra Grey	

Foam Infills	
Size: Packs of 10	
Colour Range: Supplied in black	

Size: 8mm (5/16")	
Quantity: Sold in bags of 100 pieces (including washer)	

Stitch Fixings	
Size: 8mm (5/16")	
Quantity: Sold in bags of 100 pieces (including washer)	

Cover Caps	
Size: 19mm (inner diameter) x 8mm (head)	
Colour Range: Supplied in black	

Also available from Britmet



LiteSlate

Recycled Composite
Slate



Shingle

Granulated Metal Roof
Tile



Slate 2000

Granulated Metal Roof
Tile



Ultratile

Granulated Metal Roof
Tile



Villatile

Granulated Metal Roof
Tile



Profile 49

Granulated Metal Roof
Tile



Plaintile

Granulated Metal Roof
Tile



Pantile 2000

Lightweight Tile Effect
Sheet



Ecopan

Lightweight Tile Effect
Sheet



Door Canopies

Customisable Door
Coverings



Paint

Stipple and Masonry
Paint



BritFrame

Flat-to-Pitch Roof
Conversion System

BRITMET
LIGHTWEIGHT ROOFING

sales@britmet.co.uk | 01295 250998 | www.britmet.co.uk